



1000396

Dan Strausbaugh  
04/16/02 11 42 AM

To Jim Christiansen/EPR/R8/USEPA/US@EPA  
cc azd9@cdc.gov Dan Strausbaugh/MO/R8/USEPA/US@EPA  
Subject SAP Review Completed

Jim

Attached are the results of Jill Dyken's review of the draft SAP. Please contact me (or Jill directly) if you or your staff have any questions/comments.

Thanks

DAn Strausbaugh  
ATSDR/Montana Rep  
(406) 457 5007

Forwarded by Dan Strausbaugh/MO/R8/USEPA/US on 04/16/2002 11 40 AM



Dyken Jill J  
<Azd9@cdc.gov>

04/16/2002 11 31 AM

To Dan Strausbaugh/MO/R8/USEPA/US@EPA  
cc  
Subject SAP Review Completed

Hi Dan,

I finished my review of the Libby Asbestos Site Draft Sampling and Analysis Plan. I thought it was well-organized and well-written. I had no substantive comments. My only question for Jim is, on p 5-15, the laboratories listed are off-site. I thought the analysis was going to be done in the lab in Libby. Maybe the text should include a note that the address is for the corporate facilities, and actual analysis may be performed elsewhere.

Please pass this message on to Jim. Thanks!

Jill

Jill J Dyken, Ph D , P E  
Environmental Health Scientist

Agency for Toxic Substances and Disease Registry  
Division of Health Assessment and Consultation  
1600 Clifton Road Mailstop E-32  
Atlanta GA 30333

phone (404) 498-0428 fax (404) 498-0780